

MILITARY CATALOGUE

WHEN GETTING THERE IS HALF THE BATTLE, our customers count on Aqua Lung products to deliver performance and reliability when it matters most. Our customers know they will face life support threats on every mission. That is why they choose Aqua Lung for our product integration experience for both the aviator and the diver.





MILITARY CATALOGUE

INTRODUCTION	3
MILITARY REBREATHERS F.R.O.G.S. C.O.D.E. AMPHORA C.R.A.B.E.	4 5 5 6
REBREATHER & BC ACCESSORIES HARNESSES & BUDDY LINE BAGS BELTS & WEIGHTS BUOYANCY COMPENSATORS BC ACCESSORIES REBREATHER ACCESSORIES & TOOL KITS CONSUMABLE PRODUCTS	7 8 9 10 14 15
SCUBA DIVING EQUIPMENT REGULATORS DRY SUIT INFLATION SYSTEM & SCUBA CYLINDERS	18 19
ACCESSORIES MASKS SNORKELS FINS KNIVES NAVIGATION BOARD & DEPTH GAUGES COMPASSES & WATCH DEPTH SOUNDER	20 21 22 23 24 25 26
MISCELLANEOUS PRODUCTS MAGNETIC ANOMALY TRACKER INTEGRATED INFLATING AND TOWING WIRE	26 27
DIVING SUITS ONE PIECE TWO PIECE DRY SUITS UNDERGARMENTS BOOTS & HOOD GLOVES	28 31 32 35 36 38
INDEX	39 40









INTRODUCTION

THE AQUA LUNG GROUP

The Aqua Lung Group is a 100% subsidiary of the Air Liquide Group comprising a family of companies spread throughout the world.

All of these companies are individual specialists in the manufacturing and/or distribution of diving equipment for sport, leisure or military and professional use. Each of the manufacturing companies is focused on the design and assembly of a family of products.

Aqua Lung France – La Spirotechnique continues to specialize in underwater breathing apparatus such as regulators, rebreathers, cylinder valves, oxygen and mixed gas military diving equipment.

Aqua Lung America specializes in the development of aviation life support equipment, emergency breathing and flotation systems.


Aerial's core business is related to the design, manufacture and sales of life support and safety equipment with key expertise in military specifications compliance.

Apeks Marine specializes in the design, development and engineering craftsmanship needed to produce equipment for diving and emergency breathing systems.

Whites, manufactures and designs drysuits.

Gorski, recently acquired by the Aqua Lung Group, manufactures and designs diving helmets.

The Air Liquide Group is the worldwide leader in industrial and medical gases, bringing to the group strong technical and financial support.



THE AQUA LUNG INTERNATIONAL MILITARY AND PROFESSIONAL DEPARTMENT

The Aqua Lung International Military Department was created in April 2000 to provide a unique level of expertise in military diving, breathing equipment and in Aviation Life Support Equipment. This has been achieved by drawing upon the wealth of knowledge and experience in diving from the R&D departments of Aqua Lung America, Aqua lung France, Apeks and Aerial.

Internationally, Aqua Lung is represented by its affiliates and by an effective network of technically proficient local companies. These are currently providing services to major military departments throughout the world.

Our goal is to listen to the customer and to offer the best service with simple, safe and robust products.

Design, development and assembly of diving breathing apparatus, Sales and After Sales services for the military & professional sector, are certified ISO 9001:2008.









MILITARY REBREATHERS



F.R.O.G.S.

Full Range Oxygen Gas System

AQUALUNG'S CLOSED CIRCUIT DIVING APPARATUS FOR SHALLOW WATER & SPECIAL FORCES OPERATIONS

The F.R.O.G.S. is a self-contained, chest-mounted, closed circuit apparatus, using 100% Oxygen. It was created for intensive work using a high performance, simple and sturdy mechanism. No tools required for periodic maintenance.

Oxygen closed circuit apparatus (0-7m or 0-10m depending on the regulations).

- Canister endurance:
- 4 hours (water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn) 6 hours (water Temp.: 04°c, CO2 injection: 0,9l/mn, RMV 22,5l/mn)
- SAFETY

Multiple water traps

By-pass system injecting oxygen in the inhale hose allows the diver to breathe even in the case of second stage failure or flooding.

MAINTENANCE

Modular Concept: easy to maintain and low maintenance cost.

Easy to maintain after each dive: no tools required, easy to clean.

Quick assembly system for the counterlung.

• PERFORMANCE

495005

Optimal breathing loop: 1.07 J/litre at 7 metres (23 ft), Respiratory Minute Volume of 62.5 lpm. The best Work Of Breathing on the market.

Also available in a magnetic version for professional use.

F.R.O.G.S. Rebreather

PART # DESCRIPTION



© Alexis ROSENFELD/Aqua Lung







C.O.D.E.

Compact Oxygen Diving Equipment

The C.O.D.E. is the smallest of our rebreathers; it gives approximately 60 minutes of diving time. Ideal for covert & counter terrorism operations.

It is well suited for operational or training missions that require minimal logistics. Its reduced size renders it easy to transport. The small number of parts and its modular design make it easy to maintain and quick to set up.

Very low Wob.

A high pressure gauge is fitted in this set.

- Canister endurance:

1 hour (water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn).



Part #	DESCRIPTION
487505	C.O.D.E. Rebreather

AMPHORA

UNDERWATER O2 and MIXED GAS **BREATHING SET**

AMPHORA is a rebreather using different oxygen/nitrogen mixtures in a semi-closed circuit. AMPHORA is a closed circuit apparatus in the oxygen dive configuration and a constant mass flow apparatus (CMI) in the mixed gas dive configuration.

During the dive a simple operation of the gas switch allows the user to switch immediately between breathing pure oxygen on closed circuit and mixture on semi-closed circuit.


Oxygen and mixed gas apparatus (0-7m and 0-30m).

The constant mass flow is injected directly into the inhalation hose.

The CO2 laden gas is exhaled from an overpressure relief valve, located at the top of the apparatus.

- Canister endurance:
- 4 hours (water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn).
- 6 hours (water Temp.: 04°c, CO2 injection: 0,9l/mn, RMV 22,5l/mn).

Also available in a magnetic version for professional use.





MILITARY REBREATHERS



C.R.A.B.E.

Complete Range Autonomous Breathing Equipment

The CRABE is a back-mounted breathing apparatus for diving use in depths down to 80 metres.

The CRABE is an entirely mechanical rebreather operating in semi-closed circuit with NITROX or TRIMIX following the proportional leak principle and with pure oxygen for deco stops.

Designed for intensive use, the CRABE offers high performance, reliability and robustness.

Daily maintenance and most servicing operations can be carried out without the use of tools.

The CRABE is non-magnetic to STANAG 2897 EOD standards and has a very weak acoustic signature which meets the AMP15 standard.

The CRABE is suitable for anti-mine warfare.

The CRABE is designed for use with predetermined gases such as: pure oxygen, nitrox 60%, nitrox 50%, nitrox 40%, nitrox 30%, or trimix 23%02/36%N2/41%He.

Decompression stages are carried out using either the mixture used during the dive (the bottom mix), or pure oxygen, depending on the dive profile.

The CRABE has a harness with an integral weight system and a buoyancy adjustment jacket. The CRABE has an open circuit safety system.

- Canister endurance:
- 4 hours (water T°: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn)

PART #	DESCRIPTION		
490002	C.R.A.B.E. Rebreather	М	
490003	C.R.A.B.E. Rebreather	L	









French Navy divers with CRABE apparatus - @Erwan AMICE/Cephismer/Marine Nationale



REBREATHER & BC ACCESSORIES: HARNESSES

INTEGRATED WEIGHTS HARNESS

This harness includes an integral and quick release weight system. It allows the perfect positioning of the rebreather and easy adjustment of the set on the front or on the back.


Only available in black.



Part #	DESCRIPTION
495508	Integrated Black Weights Harness

SIMPLE HARNESS


This harness allows the weight of the apparatus to be evenly distributed over the diver's back.



Part #	DESCRIPTION
480650	Simple Harness

BUDDY LINE

The buddy line is used by a pair of oxygen/mixture divers allowing mutual assistance in case of emergency.



PART #	DESCRIPTION	Length
758300 758700	Buddy Line Buddy Line	2 m. €258.00 2 m. €215.00
758800	Buddy Line	6 m. €220.00
758200	Buddy Line	2 m. with release €475.00



REBREATHER & BC ACCESSORIES: BAGS



COMMANDO WATERPROOF BAG

This waterproof bag made of Hypalon, has a maximum capacity of 50 litres. It is fitted with a modular weight system and a depressurising device.

Dimensions: 80x35x35 cm.



495525 Commando Waterproof Bag

F.R.O.G.S. CARRYING BAG

The bag protects the apparatus from impact damage during handling on land prior to diving.

Part #	DESCRIPTION
495550	F.R.O.G.S. Carrying Bag



F.R.O.G.S. BREATHING BAG PROTECTOR

- Soft protection for Frogs/Amphora breathing bag
- Made of 1000 Denier fabric





PART #	DESCRIPTION
495243	Breathing Bag protector

BLACK CLASSIC BAG

- PVC coated 1200 Decitex Nylon
- Measurements: 78 x 40 x 35 cm.
- Volume: 95 litres
- $\bullet \ \, \text{Two carrying handles and shoulder strap}$
- One exterior and one fin pocket
- Available in black or yellow colour

Part #	DESCRIPTION
580121	Black Classic Ban



BACKPACK BAG DRY

Waterproof Rucksack: equipped with padded shoulder straps, waist belt, carrying handle and an inflation/depressurising device.

Watertight Shoot-through Weapon Bag:

- An interior latex glove equipped to allow the weapon to be fired while inside the bag
- A nose cone attached to the front end is replaceable if shot through
- Designed for Rifles such as M16, SAR80, AK47, M4, MP5, etc.

Part #	DESCRIPTION	Size
701000	Waterproof Rucksack	30 litres
701001	Waterproof Rucksack	45 litres
701002	Watertight Shoot-throu	gh Weapon Bag





REBREATHER & BC ACCESSORIES: BELTS AND WEIGHTS

PRO WEIGHT BELT

The Pro pouch weight belt allows the diver to easily adjust his weight without removing the belt. $Weight \, can \, be \, altered \, quickly \, and \, without \, risk. \, The \, belt \, is \, fitted \, with \, a \, Spiro \, quick-release \, buckle \, and \, risk \, description \, descri$ which has a hook for the attachment of a harness crotch strap.

Belt in black nylon, width 45 mm. Quick-release buckle is in stainless steel for the standard model, and in Zycral for the non magnetic version.

T-shaped lead weights with protective vinyl coating.

The weights are lodged in pouches attached to the belt. They are held securely in place by a large velcro tab fastener.

Part #	DESCRIPTION	
540400	Pro Weight Belt (Black & yellow)	6 pouch
10411	Pro Weight Belt (Black)	6 pouch
0410	Non magnetic Belt (Black & yellow)	6 pouch
40412	Non magnetic Belt (Black)	6 pouch



SOFT WEIGHT BELT

An adjustable standard 2" nylon webbing belt with fixed pockets for either soft or hard weights. Velcro closures on the pocket flaps hold the weights securely in place.

PART #	DESCRIPTION	Size
580150	Soft Belt	S
580155	Soft Belt	M
580160	Soft Belt	L
580165	Soft Belt	XL



METALLIC-BUCKLE WEIGHT BELT

Weight belt with stainless-steel cam action buckle, 50mm wide.

PART #	DESCRIPTION	Size
540450	Belt	М



WEIGHTS

Part #	Description		
541150	Black Weight	0.50 kg	
541350	Black Weight	1.00 kg	
541500	Black Weight	1.50 kg	
P90050	Soft weight Box of	20 bags x 0,9kg.	
P90003	Box of 20 Black Weights 0,	9kg.	
P90023	Box of 10 Black Weights 1,	8kg.	
P90043	Box of 6 Black Weights 2,7	kg.	
541110	F.R.O.G.S. Harness Weight	1 kg	
541120	F.R.O.G.S. Harness Weight	1,5 kg	
541130	F.R.O.G.S. Harness Weight	2 kg	
490631	C.R.A.B.E. Harness Weight	1,5 kg	
490632	C.R.A.B.E. Harness Weight	2 kg	
490633	C.R.A.B.E. Harness Weight	2,5 kg	
	F.R.O.G.S. Weight Kit		Î
495383	F.R.O.G.S. HP Cylinder Weig	ght (800gr)	
495382	F.R.O.G.S. LP Case Weight (488gr each)		

495386 F.R.O.G.S. LP Case Screw











REBREATHER & BC ACCESSORIES : MILITARY BCs



ODYSSEA VEST

Designed for combat swimmers to use with a chest worn apparatus

- Black colour for clandestine operations
- Non magnetic
- Double-bag construction (bladder volume: 20L / 44lbs)
- Outer bag made of heavy duty 840 Denier Nylon
- Can be inflated by 1 cylinder (200Bars 0.43L) or orally
- Breathable inflator allows diver to breathe the air in the inner bag in case of emergency
- Several accessory attachment points (D-rings, Strobe holder, Snorkel holder)
- 1 large pocket to store a navigation board
- 2 Drain caps
- 2 overpressure relief/dump valves

Part #	DESCRIPTION
	Odyssea (Vest w/o cylinder) Cylinder (200Bars - 0.43L)



MDB JACKET

Designed for professional use with all types of front-mounted or back-mounted diving equipment

- Black colour for clandestine operations
- Single-bag construction (bag volume: 14L / 31lbs), made of extra durable 1000 Denier Cordura
- Can be inflated by 1 cylinder (200Bars 0.43L)
- Breathable inflator allows diver to breathe the air in the bag in case of emergency
- Several D-rings for attaching accessories
- 1 large and 1 small pocket
- 2 Drain caps
- 1 overpressure relief/dump valve





Part #	DESCRIPTION
841345	MDB (Jacket w/o cylinder)
840970	Cylinder (200Bars - 0.43L)

ATLANTIS LIFEJACKET

Designed for professional use with all types of front-mounted or back-mounted diving equipment

- Black colour for clandestine operations
- Single-bag construction (bag volume: 14L / 31lbs), made of extra durable 1000 Denier Cordura
- Can be inflated by 2 cylinders (3,000psi 0.21L / 1.5cu.ft) or orally
- Breathable inflator allows diver to breathe the air in the bag in case of emergency
- Optional direct feed inflator
- Non magnetic
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- Several D-rings for attaching accessories
- 1 large and 1 small pocket
- 2 Drain caps
- 1 overpressure relief/dump valve



Part #	DESCRIPTION
762970	Atlantis Jacket
101271	Cylinder (3,000psi - 0,21L / 1,5 cu.ft)



REBREATHER & BC ACCESSORIES: MILITARY BCs

POLYVALENTE LIFEJACKET

Combined buoyancy compensator and lifejacket that accommodates front or back mounted rebreathers, or open circuit.

- · Orange colour and reflective bands for high visibility
- Single-bag construction (bag volume: 20L / 44lbs), made of heavy duty 420 and 1000 Denier Cordura
- Can be inflated by 1 cylinder (200Bars 0.43L or 0.6L), direct feed inflator or orally
- Breathable inflator allows diver to breathe the air in the bag in case of emergency
- CE approved as a lifejacket (EN 12628)
- Several D-rings for attaching accessories
- 1 large and 1 small pocket
- 1 Drain cap
- 2 overpressure relief/dump valves





PART # DESCRIPTION 840510

Polyvalente / Lifejacket w/o cylinder 840502 Cylinder (200Bars - 0.43L) 840501 Cylinder (200Bars - 0.6L)

FENZY X 4 LIFEJACKET

Combined buoyancy compensator and lifejacket designed for use with a back worn apparatus.

- · Black or orange colour
- Double-bag construction (bladder volume: 17.2L / 38lbs), outer bag made of extra durable 1000 Denier Cordura
- Can be inflated by 1 cylinder (200Bars 0.43L), direct feed inflator or orally
- Breathable inflator allows diver to breathe the air in the bag in case of emergency
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- 1 large pocket
- 1 Drain cap
- 1 overpressure relief/dump valve

Part #	DESCRIPTION
	FENZY X 4 Lifejacket, Orange color, w/o cylinder
854420	FENZY X 4 Lifejacket, Black color, w/o cylinder
840950	0.43L Aluminium Cylinder



CALYPSO

Combined buoyancy compensator and lifejacket designed for use with a back worn apparatus.

- · Black colour
- Double-bag construction (bladder volume: 21L / 48lbs) outer bag made of heavy duty 840 Denier Nylon
- Can be inflated by 2 CO2 cartridges (38gr), direct feed inflator or orally
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- 1 large pocket
- 1 overpressure relief/dump valve
- · 2 dump valves

Part #	DESCRIPTION
	BC CALYPSO, military, black, revA Cartridge, CO2, 38 gr



REBREATHER & BC ACCESSORIES : MILITARY BCs



SCOUT SWIMMER VEST (SSV MOD1)

Lifejacket designed for tactical surface swimming

- Black colour for clandestine operations
- \bullet Single bag construction, made of heavy duty 1000 Denier Nylon (bladder volume: 9 L / 21lbs)
- Neck opening is oval and padded for ease of ingress/egress
- "H" straps harness with D-rings
- 2 independent 38-gram CO2 inflators
- 1 oral inflation tube with locking ring
- 1 overpressure relief/dump valve
- 1 large front pocket with Velcro closure



PART #	DESCRIPTION
769031	SSV Mod1
13220	Cartridge, CO2, 38 gr

PARA SWIMMER VEST (PSV MOD1)

Lifejacket designed for parachute and/or surface swimming operations

- Black colour for clandestine operations
- Single bag construction made of heavy duty 420 Denier Nylon (bladder volume: 9L / 21lbs)
- "H" straps harness with D-rings
- 2 independent 38-gram CO2 inflators with beaded handles
- 1 oral inflation tube with locking ring
- 1 overpressure relief/dump valve
- 1 large front pocket with Velcro closure



Part #	DESCRIPTION
769041	PSV Mod1
13220	Cartridge, CO2, 38 gr



Amphora apparatus - © Dominique BARRAY



REBREATHER & BC ACCESSORIES: MILITARY BCs

COMBAT SWIMMER ASSAULT VEST (CSAV)

Multi-use Buoyancy Compensator that adapts to front and back mounts rebreathers, and to open circuit SCUBA.

- · Doubles as a lifejacket
- Black colour for clandestine operations
- Double-bag construction (bladder volume: 15.8L / 35lbs), outer bag made of extra durable 1000 Denier Cordura.
- Can be inflated by 2 cylinders (3,000psi 0.21L / 1.5cu.ft), direct feed inflator or orally
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- · Molle straps for accessories attachment
- 2 Drain caps
- 1 overpressure relief/dump valve

Part #	DESCRIPTION	
769116	CSAV complete w/ cylinder	



PRO QD M

Jacket style buoyancy compensator designed for open circuit use.

Time proven, and used by many military and professional units worldwide.

- Single bag construction, made of extra durable 1000 Denier Cordura
- Now all black for clandestine operations
- · Comes in 5 different sizes
- Buoyancy from 13L (30lbs) to 24L (54lbs)
- 6 stainless steel 2" D-rings
- 2 large zipper pockets with pull cord
- SureLock I mechanical weight release system (safe, dependable and reliable)
- Knife grommets and instrument retractor attachment point on left pocket
- 2 overpressure relief/dump valves
- CE approved (EN1809)

PART #	DESCRIPTION	Size
394031	Pro QD M	SM
394032	Pro QD M	MD
394033	Pro QD M	ML
394034	Pro QD M	LG
394035	Pro QD M	XL



BLACK DIAMOND

Back inflation style buoyancy compensator designed for open circuit use.

Time proven, and used by many military and professional units worldwide.

- Authorized for U.S. Navy Use (ANU listed)
- Single bag construction, made of heavy duty 840 Denier Nylon
- All black for clandestine operations
- Comes in 5 different sizes
- Buoyancy 22L (50lbs)
- 5 stainless steel 2" D-rings
- SureLock I mechanical weight release system (safe, dependable and reliable)
- · Knife grommets on left pocket
- 3 overpressure relief/dump valves
- · CE approved (EN1809)

Part #	DESCRIPTION	Size
377091	Black Diamond w/ SureLock I	S
377092	Black Diamond w/ SureLock I	M
377093	Black Diamond w/ SureLock I	ML
377094	Black Diamond w/ SureLock I	L
377095	Black Diamond w/ SureLock I	XL





BC ACCESSORIES



OXYGEN GAS SUPPLY

This decompression stage apparatus supplies two divers with pure oxygen in order to allow them to carry out decompression stops.

A high pressure oxygen source located at the surface supplies the diver with oxygen via a HP/MP regulator and 20 meter hose.

At the outlet of this hose the diver breathes oxygen in open circuit using the fitted 2nd stage regulator directly from his rebreather using a quick connection device.

Part #	Description
CR 718705	O2 HOOKAH deco stops gas supply
CR 718780	O2 MP Hose Complete 20 m.
CR 718590	HOOKAH 2nd Stage + Flexible



HIGH PRESSURE OXYGEN BOOSTER PUMP

The oxygen booster pump is designed to fill small capacity cylinders from industrial type cylinders. This offers a major advantage: autonomy.

With a stock of small cylinders it is therefore possible to meet emergencies and, in addition to autonomy, the transfer pump is also a significant source of economy.

Part #	DESCRIPTION
370201	High Pressure Oxygen Booster Pump



FILL ADAPTERS

The P/N 840817 is an air charging connector for 0,4 L. cylinders. The P/N A01215 is an air charging connector for 1,5 cuft cylinders.

Part #	DESCRIPTION
A01215	Fill Adapter for Atlantis
840817	Fill Adapter for Odyssea / MDB / Mediterranée





CHARGING CONNECTOR

Charging connector with purge for use when filling the oxygen cylinder. Fitted between the charging hose of a booster pump and the oxygen cylinder.

Part #	DESCRIPTION
CR 840877	Charging Connector
CR 555100	Nitrox Charging Connector 300 Bar
CR 555110	Nitrox Charging Connector 200 Bar



SURFACE HIGH PRESSURE GAUGE 0-250 BAR

This pressure gauge is used for measuring the pressure of oxygen in the cylinder.

Part #	Description
CR 718660	Surface High Pressure Gauge



NITROX SURFACE PRESSURE TEST GAUGE

To check the pressure in the cylinder. Supplied with a screw purge.

	Part #	DESCRIPTION
CR	523220	Surface Nitrox Pressure Gauge



MP TEST KIT 0-16 BAR

Allows regular checking of the first stage outlet pressure. Dismantling and cleaning of the pressure gauge can be carried out by the users.

Part #	DESCRIPTION
CR 434750	MP Test Kit



OXYGEN ANALYSER

This unit is specially designed to analyze O2 from the HP cylinder.





Part #	DESCRIPTION
750110	Oxygen Analyser

REBREATHER ACCESSORIES & TOOL KITS



STANDARD AND SPECIAL TOOL KITS

Tools needed for the complete disassembly and re-assembly of Aqua Lung rebreathers.

PART #	DESCRIPTION
495366	F.R.O.G.S. Standard Tool Kit
496510	AMPHORA Standard Tool Kit
490920	C.R.A.B.E. Standard Tool Kit
495360	F.R.O.G.S. Special Tool Kit
480760	OXY-NG2 Special Tool Kit
487075	C.O.D.E. Special Tool Kit
456335	DC 55 Special Tool Kit
496520	AMPHORA Special Tool Kit
490950	C.R.A.B.E. Special Tool Kit





C.R.A.B.E. TEST BENCH

Compact unit allowing, regular checking of the C.R.A.B.E. regulator, valve and injector.



PART #	DESCRIPTION
490800	C.R.A.B.E. Test Bench

SIEVE

This sieve (filter diameter: 1mm) is used to eliminate powder from the sodalime and to simplify refilling the cartridge.

Diameter: 200mm Height: 50mm



PART #	DESCRIPTION
370254	Sieve

FUNNEL

The Funnel simplifies the canister re-filling for apparatus types DC55 and Oxygers 57.



Part #	DESCRIPTION
455720	Funnel



SODALIME

SODASORB is a CO2 absorbent for closed and semi closed circuit apparatus. Type WISL 16 % 4/8 M



PART #	DESCRIPTION	
370001	Sodalime	4.5 kg Pack
370002	Sodalime	20 kg Pack

CHRISTOLUBE GREASE

Grease compatible with oxygen use. Especially designed for O2/Nitrox rebreathers.



PART #	DESCRIPTION		
480025	Christolube Grease	57 gr.	

A.R.P. NET

Cleaning product for diving set components



PART #	DESCRIPTION	
455001	ARP Net	

STERANIOS 2%

Disinfectant for diving set components.



PART #	DESCRIPTION	
382062	Steranios 2%	2 litres packing
382031	Steranios 2%	4x5 litres packing

SCUBA DIVING EQUIPMENT: REGULATORS



CONSHELF XIV / SUPREME

- · World's most popular military and professional regulator
- Durable, time-proven design
- Chrome-plated, marine brass 1st and 2nd stage
- Available in cold water "Supreme" version
- ANU Listed +38°F to 190′ sections 1.5.9 & 1.5.10
- Convertable to DIN 300 use with DIN Conversion Kit
- Convertable to Dry Environment 1st stage

Part #	DESCRIPTION
108100	Conshelf XIV
108800	Conshelf XIV Supreme
108110	Conshelf XIV Tool Kit



TX 50 REGULATOR

This is the regulator of choice for technical divers around the world. This time-proven performer gets taken to the extreme and never disappoints.

- •1 high pressure port and 4 medium pressure ports are ideally located for use on a twin manifold or a single valve
- •First stage comes standard with a 300 bar DIN connector
- •The first stage is dry sealed keeping all internal components protected from the environment
- •The TX50 second stage uses a pneumatically balanced valve system and is the most advanced diver adjustable breathing system available
- •Because of the TX50's high efficiency heat exchanger system, it can cope with even the coldest conditions without freezing, making it the perfect all round regulator
- •The large swept back exhaust tee is excellent for bubble dispersion
- •Compatible to EAN 40, new, out of the box
- •Authorized for U.S. Navy use in water as low 29 degree F°

PART #	DESCRIPTION
AP0500-1	TX 50 Din Regulator
AP0500	TX 50 Yoke Regulator





NON-MAGNETIC REGULATOR

Non-Magnetic Regulator composed of a non-magnetic TX40 2nd stage and a non-magnetic DS4 first stage

The TX40 is a high performance 2nd stage with a heat exchanger system that virtually eliminates the possibility of 2nd stage freezing.

The DS4 is a dry sealed system for cold water use.

Part #	Description	
NM 0526	Non-magnetic regulator	



LEGEND NITROX WITH STRAP

Legend adjustable second stage pneumatically balanced. It is matched with the over-balanced Legend LX diaphragm first stage. It delivers superior breathing performance even at increased depths.

PART #	DESCRIPTION
129450	Legend Nitrox with Strap (Yoke)





SCUBA DIVING EQUIPMENT: DRY SUIT INFLATION SYSTEM & SCUBA CYLINDERS

DRY SUIT INFLATION SYSTEM

Apeks Inflation system is designed as a fully redundant suit inflation system. Available as an M18 & M25 system.

Pouches are available for easy fitting to suit.

Can be used with cylinders of up to 300 bar.

Supplied with a 232 bar, 'A' clamp charging adaptor.

Decanting and Din adaptors are available as accessories.

Incorporates pressure relief safety valve.

Available in Non-Magnetic materials



PART # DESCRIPTION	PART #	DESCRIPTION
--------------------	--------	-------------

A08600 **Dry Suit Inflation System**

TWIN CYLINDERS SET

Material: Chrome molybdenum steel 34CRMO4.

Protection: Zinc coated Capacities available: 2 x 9 litres. Working Pressure: 200 bar (2900psi)

Capacity: 18 litres 200 bar 3.6 m3 (127,13cu.ft)

Dimensions:

Height: 555 mm (22") Diameter: 168 mm (6,6")

Weight: 26 kg

*Warning: Certain working pressures require special types of tanks and valve connectors.

^{**}Warning: Diving in cold waters requires special training given by a qualified body.





DADT #	DESCRIPTION

223280 Twin cylinders set BI-STABI 2x9 L with reserve and straps



Rebreathers - © Dominique ANDRE

ACCESSORIES: MASKS



ATLANTIS FACE MASK

A long time favourite of U.S military divers. The oval design offers an excellent field of vision. Weight: 358 g

Part #	DESCRIPTION
E07710	Atlantis Face Mask



MOANA MASK BLACK

A long time favourite of FR military divers.

The MOANA is an oval, non-magnetic, monocular, lightweight diving mask offering a wide field of view. Weight: 242 g

PART #	DESCRIPTION	
SO1022	Moana Mask Black	



VENTURA BLACK

Lightweight single lens mask.

- Wide field of vision
- · Fast and simple strap adjustment system
- Hypoallergenic silicone skirt
- Tempered glass
- Weight : 185 g

PART #	DESCRIPTION
502561	Ventura Mask



MICROMASK

The smallest and the lightest diving mask. Less than 100 cm3 and 150 $\,\mathrm{g}$

- 2 lens mask
- Tempered glasses
- $\bullet \ \ Hypoallergenic \ silicone \ skirt \ fits \ with \ doubles \ lips$
- $\bullet \ \ Cardanic\ joint\ buckles\ rotate\ both\ up-and-down\ and\ in-and-out.$
- New push button buckle system to reduce or release the straps
- Large head strap for a perfect fit and greater comfort

Part #	DESCRIPTION
508500	Micromask black/black silicone



LOOK 2 BLACK

The inclined-to-the-cheeks frame design produces a mask with an excellent view upwards and downwards

- Double lens, 3mm tempered glass
- New twin button seeger release system, makes glass locking rings' removal quick, safe and easy
- Pure silicon mask skirt
- Cardanic joint buckles (double joint buckles) rotate both up-and-down and in-and-out
- Quick counterposed push button activation is easy to use even when wearing gloves
- Weight: 185 g

Weight: 105 g		
PART #	DESCRIPTION	
110060	Look 2 Mask	



ACCESSORIES: FACIAL MASK & SNORKELS

FULL-FACE MASK

- Removable 2nd stage for easy cleaning and storage (cannot be used w/o mask)
- · Made of a one-piece, pliable silicone skirt combined with injection-molded, highimpact, glass-filled nylon frame and regulator housing
- Double face seal and slightly smaller/low volume oral nasal cavity to fit most faces
- Customizable nose block for equalization
- Air flow is directed up the visor face to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention
- Second stage comes off the right shoulder and uses a standard LP hose
- Communications port for easy installation of a Buddy Phone or ear/microphone assembly to connect to OTS' Diver Communications Unit such as the Aquacom® SSB-2010
- OTS Ambient Breathing Valve® (ABV®) allows the diver to breathe ambient air at surface, thus conserving scuba air
- Includes Mask Bag and 32" LP hose
- CE CERTIFIED

PART #	DESCRIPTION
103480	Black Apeks FFM without 1st Stage
AP0692	Black Apeks FFM with DS4 1st Stage ("A" Clamp)
AP0692-1	Black Apeks FFM with DS4 1st Stage (DIN)
AP0693	Black Apeks FFM with DST 1st Stage ("A" Clamp)
AP0693-2	Black Apeks FFM with DST 1st Stage (DIN)

?? Connector + MouthPiecevoir Francis + Photos



MILITARY SNORKELS

- Simple neoprene rubber design
- Option of J Tube or Flex Tube
- · Secure keeper for mask strap

PART #	DESCRIPTION
736920	Military Snorkel, Black Neoprene
736930	Military Snorkel, Flex, Black Neoprene

NAUTILUS LX SNORKELS

- · All-silicone snorkel for durability and flexibility
- Shell holder for low-profile storage
- · Clear & Black
- · Clam shell packaging



PART #	DESCRIPTIO	
1000342	Clear	
1000343	Black	






ACCESSORIES: FINS

621111

ROCKET & ROCKET II

- One of the first vented rubber fins in North America
- Traditional all rubber design
- Popular with military and professional divers
- Two versions available
- Rocket II has improved foot pocket design
- Quick release buckle version available



PART #	DESCRIPTION	Size
621100	Rocket, Original Metal Buckle	
621110	Rocket, Quick Release Non Magnetic	Large
621111	Super Rocket	XLarge
621130	Rocket II, Metal Buckle	Large
621135	Super Rocket II, Metal Buckle	Super



ALCYON ADJUSTABLE

- Professional fins in natural black colour rubber
- Adjustable 43/48
- Large and long sails
- Large back up foot strap
- Non-magnetic
- NATO approval


PART #	DESCRIPTION	Size
621115	Alcyon adjustable	43/48



PRO FINS

- Traditional rubber design
- Popular for military and professional divers

PART #	DESCRIPTION	Size
501301	Pro Fins	M
501302	Pro Fins	L
501303	Pro Fins	XL
501304	Pro Fins	XXL



SHREDDER SAR

- Special fin for water rescue, SAR swimming, and Helo $\ensuremath{\mathsf{OPS}}$
- Patented split blade reduces drag and increases lift
- · Heavy duty adjustable buckle with padded heel and leash
- Large foot pocket receives large wetsuit boots and new Amphib boot

Part #	DESCRIPTION	Size
621150	Shredder SAR, Yellow	Large
621155	Shredder SAR, Black	Large



ACCESSORIES: FINS & KNIVES

BLACK SLINGSHOT

• Power Bands :

Pure silicone Power Bands are loaded with energy on the power stroke. They release their energy prior to the upstroke to provide an added boost of power. Power bands lessen fatigue and add thrust.

· Gear Shift:

3-speed Gear Shift customizes your speed-to-effort ratio to fit the specific conditions of your dive. Easy to shift during the dive, even with gloves.

• Mid-foot Flex Joint :

The blade is attached to the foot pocket using two Mid-foot Flex Joints.

This takes the strain off the toes and the top of the ankle. The result is a dramatic improvement in comfort.

You can now use the entire foot to power the fin rather than just the front half of the foot.

PART #	DESCRIPTION		
512000	Black & grey Slingshot	S	
512010	Black & grey Slingshot	M	
512020	Black & grev Slingshot	L	

DIABLO PRO BLACK

- Made from marine grade stainless steel
- Easy grip 2 layer handle
- Simple non-mechanical sheath locking system
- Sheath straps have quick-release buckles
- · Available with metallic butts
- Total length: 270mm/ Blade: 150mm.
- · Weight of Knife: 327gr

Part #	DESCRIPTION
530350	Diablo Pro Black



SEAHAWK KNIFE

Our largest knife features a heavy duty 7 3/4" polished blade with a 6" scale and serrated saw edge. The black contoured rubber handle makes the knife easy to grip with a gloved or non-gloved hand.

A plastic sheath with two straps holds the blade of the knife firmly.

Weight of Knife: 618 gr

Part #	DESCRIPTION
530300	Seahawk Aqua Lung Knife Black



This dive knife has a 5" titanium blade (overall length 10 1/4"). No rust titanium blade for long life with stainless butt cap. Knife completely disassembles for cleaning. Serrated top edge and line cutter for safety. Rubber leg straps included.

PART #	DESCRIPTION	
255865	Titanium Knife	



ACCESSORIES: **NAVIGATION BOARD & DEPTH GAUGES**



NAVIGATION BOARD

 $Navigation\ board\ in\ black\ polyure thane\ for\ amphibious\ and\ special\ operations.$ Includes a depth gauge, a compass, a securing strap, a protective sleeve and a carrying bag. Design optimised for being handheld.

Dimensions: 250mm x 160mm x 19,5mm

Weight: ≈ 1121 gr. Buoyancy: ≈ - 151.9 ml









Part #	DESCRIPTION
757440	Navigation Board
757444	Carrying Bag
757443	Protective Sleeve
757441	Securing Strap
5042	0-45m SUUNTO Depth Gauge
757450	Compass

DEPTH GAUGES

SUUNTO Depth gauge 0-45 metres Black numbers on clear dial, visible at night

SUUNTO Depth gauge 0-70 metres Black numbers on clear dial, visible at night



Part #	DESCRIPTION
5042	SUUNTO Depth Gauge 0-45 m
5041	SUUNTO Depth Gauge 0-70 m



ACCESSORIES: COMPASSES & WATCH

WRIST COMPASS

Wrist compass in rubber housing.

BEN type compass, used world wide by both professional and amateur scuba divers.

Perfect waterproofness and legibility.

This type of compass is a model of reliability and precision.

- Card with fluorescent graduations every 15°
- Fluorescent lubber line
- Card mounted on a shock absorber
- · Liquid: white spirit
- Maximum inclination 15°

Main Features:

 Overall diameter 70 mm. • Card diameter 56 mm. • Weight 200 gr. • Maximum depth 100 m.

• Compensatory bubble for liquid expansion

Part #	DESCRIPTION
757410	Wrist Compass



DIRECTIONAL COMPASS WITH ALIDADE POINTER

Produced by BEN for both civilian and military uses, this compass is suited for submarine vehicles such as SDV's and diver tugs, or for underwater swimmers using a navigation board. Extremely acurate and easy to read.

- · Rotating alidade pointer
- Compensatory bubble for liquid expansion
- Fluorescent lubbers and graduations
- · Overall diameter: 120mm Card diameter: 70mm
- · Weight: 400gr
- Maximum depth: 100m • Maximum inclination: 25°
- · Liquid: White spirit

Part # DESCRIPTION

757450 Compass



PRO GENTS 500M WATCH

- · Stainless steel cases
- · Seiko VX series quartz movement, with date indicator
- Scratch resistant mineral glass lens
- Double o-ring screw down crown for positive water-tight seal
- One-direction stainless ratchet action rotating bezel, to indicate elapsed time
- \bullet Black dial with luminous markings and hands, the minute hand is fluo-red
- Extra long PU strap has robust corrugated sections to take up wetsuit compression at depth
- Water resistant rating of 500 metres
- Supplied in presentation case



Part #	DESCRIPTION

310110 Pro Gents 500 metres Watch

MISCELLANEOUS PRODUCTS



ECHOTEST II

Hand Depth Sounder

Compact Echo Sounder for hand use. Ideally suited for use in small boats. It is also particularly useful for divers.

This unit transmits high frequency pulses (200 KHz) that are converted from electrical energy by the transducer.

• View: LCD 7 segments • Frequency : 200 Khz • Emission angle: 24° (-6 dB) • Depth: 0,6 m. - 79 m. • Feature : Auto start and stop

Waterproof up to 50 m.

• Dimension: Diam 42 mm. x (L) 198 mm. • Power : DC 9V. (dry batteries S-0069) • Life of batteries : near 500x

• Weight: near 200 gr. (batteries included)





Part # DESCRIPTION

376227 Hand Depth Sounder Echotest II

MAGNETIC ANOMALY TRACKER - MATRACK

The MATRACK DETECTOR is a simple tool to use, according to the standard STANAG 2897, whose performances are used to verify the magnetic cleanliness of the equipment controlled. Class A and Class B equipment can be monitored.

The MATRACK DETECTOR is by definition a tool which must be checked before each measurement.

Therefore, the MATRACK SIMULATOR should be used to monitor standard compliance of the detector.

MATRACK can be used by clearance divers, ground forces, the manufacturers of equipment for the army, metrology control agencies....

PREMIUM PACK contains

- 1 x PELICASE PC1495
- 2 x MATRACK Detectors
- 1 x MATRACK Simulator
- 1 x User guide
- 1 x Calibration certificate
- 1 x Pocket book







PART	#	DESC	RIPTIO	N

MATRACK Premium Pack 295200





INTEGRATED INFLATING AND TOWING WIRE FOR MINE-LIFTING BAGS

Allows inflation and towing of mine-lifting bags at a safe distance.

Can be carried on a dinghy.

Description:

Spool with a crank, fitted with easy lift handles.

First stage regulator

Medium-pressure hose (11 bars). Several lengths available (200 metres, 100 metres)

Towing cable integrated in the medium pressure hose (patented)

Connector

Towing hook

Characteristics:

PART #

LGD03100

Very low magnetic field. Size: 700 x 900 x 950 mm

Weight: 85 kg (fitted with a 100 metres wire), 145 kg (fitted with a 200 metres wire)


Maximum length on the spool: 200 meters











DESCRIPTION

100 metres









DIVING WETSUITS: 1 PIECE



SHORTY MNS - 2MM

Technical clothing Shorty in 0,08 in orange and blue neoprene.

- Front zipper
- Reinforced with honeycomb weave grip on bottom and shoulders
- Neck flap over zipper maintained by Velcro closure

CH	OLICE NATIONAL PARTIES AUVETEUR
----	---------------------------------

Part #	DESCRIPTION	Size
720822	Shorty MNS	S/2
720823	Shorty MNS	M/3
720824	Shorty MNS	ML/4
720825	Shorty MNS	L/5
720826	Shorty MNS	XL/6
720827	Shorty MNS	XXL/7

1 PIECE: BALI BLACK 3MM

One-Piece 3 mm suit without hood

- Lycra collar for more comfort
- Back zip
- Velcro zip tab
- Wrist seal in "glideskin" neoprene for easier dressing
- Twin needle flat stitch

Part #	DESCRIPTION	Size
664532 B	Bali Black	S/2
664533 B	Bali Black	M/3
664534 B	Bali Black	ML/4
664535 B	Bali Black	L/5
664536 B	Bali Black	XL/6





The CAMO wet suit is designed for use in warm waters.

- Thigh pocket (right or left), closed by a flap with a velcro fastener and with two 3mm drainage holes in the bottom
- Non-corrodable zip fastener on the chest
- Knee pads
- Ankle zip
- The suit is preformed and entirely non magnetic


Option: Camo Sand

PART #	DESCRIPTION	Part #	DESCRIPTION	Size
		662832C	Sharm Camo - 5,5mm	2
606143C	Sharm Camo - 3mm	662833C	Sharm Camo - 5,5mm	3
606144C	Sharm Camo - 3mm	662834C	Sharm Camo - 5,5mm	4
606145C	Sharm Camo - 3mm	662835C	Sharm Camo - 5,5mm	5
606146C	Sharm Camo - 3mm	662836C	Sharm Camo - 5,5mm	6

One-Piece 5,5 mm Suit with attached hood

- Plush comfort black lining
- · Protective spinal pad
- Ankle zip
- · Lycra edge binding on the wrists, ankles and along the zip
- · Kidney, shoulder & elbow pad
- Self venting hood

PART #	DESCRIPTION	Size
658242 B	Sharm Black	S/2
658243 B	Sharm Black	M/3
658244 B	Sharm Black	ML/4
658245 B	Sharm Black	L/5
658246 B	Sharm Black	XL/6



DIVING WETSUITS: 1 PIECE



1 PIECE: BERING BLACK 7MM

One-Piece 7 mm Suit with attached hood

- Plush comfort black lining new
- Ankle, wrist and face seal in 3mm glide skin
- Protective spinal pad
- Kidney, shoulder & elbow pad
- Self venting hood

PART #	DESCRIPTION	Size
	2 220 1.0	0.22
662421 B	Bering Black	1
662422 B	Bering Black	2
662423 B	Bering Black	3
662424 B	Bering Black	4
662425 B	Bering Black	5
662426 B	Bering Black	6



1 PIECE: ICELAND BLACK 7MM

One-Piece 7mm semi dry suit with attached hood

- Plush comfort red lining
- Easier head movement due to ergonomic easy neck fastening
- Ultra-soft 5.5 mm comfort panels at joints and on the bust of lady's model
- Protective spinal and kidney pad
- Self-venting hood
- Ankle, wrist and face seals in 3 mm "Glideskin" for easier dressing and increased tear resistance
- Pocket on the right leg



PART #	DESCRIPTION	Size
667622 B	Iceland 7mm black	S/2
667623 B	Iceland 7mm black	M/3
667624 B	Iceland 7mm black	ML/4
667625 B	Iceland 7mm black	L/5
667626 B	Iceland 7mm black	XL/6



2 PIECE: BALEARES BLACK 5,5MM

- 2 Piece 5,5 mm Suit
- Jacket with or without zip
- Plush comfort black lining new
- Ankle, wrist and face seal in 3mm glide skin
- · Protective spinal pad
- Kidney, shoulder & elbow pad
- Self venting hood

Option : Green Camo



Size

1

2/S

3/M

4/ML

5/L

6/XL





PART #	DESCRIPTION	SIZE
663352C	Baleares Camo w/out zip (663352CF + zip)	2
663353C	Baleares Camo w/out zip (663353CF + zip)	3
663354C	Baleares Camo w/out zip (663354CF + zip)	4
663355C	Baleares Camo w/out zip (663355CF + zip)	5
663356C	Baleares Camo w/out zip (663356CF + zip)	6

2 PIECE: HUDSON BLACK 7MM

Baleares Black + zip (664351B w/out zip)

Baleares Black + zip (664352B w/out zip)

Baleares Black + zip (664353B w/out zip)

Baleares Black + zip (664354B w/out zip)

Baleares Black + zip (664355B w/out zip)

Baleares Black + zip (664356B w/out zip)

2 Piece 7mm Suit

PART #

663351B

663352B

663353B 663354B

663355B

663356B

DESCRIPTION

Jacket with or without zip

- Plush comfort black lining new
- Ankle, wrist and face seal in 3mm glide skin
- Protective spinal pad
- Kidney, shoulder & elbow pad
- Self venting hood

Option: Green Camo



Part #	DESCRIPTION	Size	PART #	DESCRIPTION
562332B	Hudson Black + zip	2/S	663332B	Hudson Black w/ou
662333B	Hudson Black + zip	3/M	663333B	Hudson Black w/out
662334B	Hudson Black + zip	4/ML	663334B	Hudson Black w/out z
662335B	Hudson Black + zip	5/L	663335B	Hudson Black w/out z
662336B	Hudson Black + zip	6/XL	663336B	Hudson Black w/out z

DIVING DRYSUITS



LEGACY NEXUS 3 DRYSUIT

The Nexus 3 has revolutionized entry level drysuits with Whites Captive Suspension System (U.S Patent No. 6,715,149), flex panel. The Captive Suspension System allows for a very close fit with unparalleled mobility.

Features:

- Patented Captive Suspension Panel across lower back, under arms, and above knees for flexibility
- Tough Quadflex nylon
- 2 pocket Matrix Base Plates
- 1 Compak Pocket
- · Air control knee pads
- Comes with Multi-Laminate Shell Socks & 3mm Neoprene SoftBoots that match perfectly with Evo III
- Includes a traveler backpack and inflator hose

Construction:

Seams: Internal seams are high-pressure heat-sealed with polyurethane tape. Exterior seams are made of heavy-weight nylon-reinforced thread.

Part #	DESCRIPTION	Size
720010	Nexus 3 Black	2XS
720011	Nexus 3 Black	XS
720012	Nexus 3 Black	S
720013	Nexus 3 Black	SK
720014	Nexus 3 Black	M
720015	Nexus 3 Black	MK
720016	Nexus 3 Black	MT
720017	Nexus 3 Black	L
720018	Nexus 3 Black	LK
720019	Nexus 3 Black	LT
720020	Nexus 3 Black	XL
720021	Nexus 3 Black	XLK
720022	Nexus 3 Black	2XL
720023	Nexus 3 Black	3XL





Drysuit under the ice - © Whites



FUSION TACTICAL DRYSUIT

- Patented Fusion DryCore Technology
- Oversized DryCore with external Tactical skin
- Solid black available in mag. or non-mag.
- · Unmatched flexibility & streamlined design
- 6 thread multi needle, super stretch stitching
- High stretch, abrasion resistant neoprene on the knees, elbows, shoulders and buttocks
- Removable 2mm. neoprene inserts for the elbows and knees for additional durability and cushioning
- Super stretch neoprene positioned in high movement areas to accommodate the most extensive underwater movement
- Includes 2 Twin Zip Pockets and convenience zipper

Part #	Description	Size
720006	Tactical Fusion Swimmer – no valves	S/M
720007	Tactical Fusion Swimmer – no valves	L/XL
720008	Tactical Fusion Swimmer – no valves	2XL/3XL
720009	Tactical Fusion Swimmer – no valves	4XL+
720001	Tactical Dive Fusion	XXS/S
720002	Tactical Dive Fusion	S/M
720003	Tactical Dive Fusion	L/XL
720004	Tactical Dive Fusion	2XL/3XL
720005	Tactical Dive Fusion	4XL+



SAR FUSION DRYSUIT

- Patented Fusion DryCore Technology
- Oversized DryCore with external SAR skin
- Exterior skin is made of 1mm super stretch neoprene and reinforced in high wear areas.
- Red or black bottom with red top
- Unmatched flexibility & streamlined design
- 6 thread multi needle, super stretch stitching
- High stretch, abrasion resistant neoprene on the knees, elbows, shoulders and buttocks
- Removable 2mm. neoprene inserts for the elbows and knees for additional durability and cushioning
- · Super stretch neoprene positioned in high movement areas to accommodate the most extensive underwater movement
- S.A.R. Armband included

Part #	DESCRIPTION	Size
720030	SAR Fusion Surface – no valves	S/M
720031	SAR Fusion Surface – no valves	L/XL
720032	SAR Fusion Surface – no valves	2XL/3XL
720033	SAR Fusion Surface – no valves	4XL+
720034	SAR Fusion Dive	S/M
720035	SAR Fusion Dive	L/XL
720036	SAR Fusion Dive	2XL/3XL
720037	SAR Fusion Dive	4XL+



DIVING DRYSUITS



HAZMAT DRYSUIT

- · Chemical resistant polyurethane inside and out allows dual protection and easy decontamination inside and out
- · Available in red with black re-enforcements or all black
- Anatomically-correct CAD designed pattern with pre-bent arms, legs and torso for a perfect fit
- Available in 14 standard sizes and computer custom cut specific to the user's exact measurements
- Stronger and lighter, yet durable and pliable
- · Chemical resistant Polytex pro wrist seals
- · Extremely easy to repair
- Choose between the heavy duty poly boots, comfort boots, or a dry soft sock with Evo III boots
- Permanently attached dry glove rings with replaceable seals
- SiTech contaminated water dual exhaust valve & SiTech standard inflation valve
- Hazmat Commercial comes with Polytex neckseal and your choice of the following yokes: - Desco Yoke • SL27 • SL17 (Additional fees apply on the SL17)
- Hazmat Public Safety comes with attached Polytex hood

Part #	DESCRIPTION	Size
720040	Hazmat Public Safety Drysuit	XS
720041	Hazmat Public Safety Drysuit	S
720042	Hazmat Public Safety Drysuit	SK
720043	Hazmat Public Safety Drysuit	M
720044	Hazmat Public Safety Drysuit	MT
720045	Hazmat Public Safety Drysuit	MK
720046	Hazmat Public Safety Drysuit	L
720047	Hazmat Public Safety Drysuit	LT
720048	Hazmat Public Safety Drysuit	LK
720049	Hazmat Public Safety Drysuit	XL
720050	Hazmat Public Safety Drysuit	XLK
720051	Hazmat Public Safety Drysuit	2XL
720052	Hazmat Public Safety Drysuit	3XL
720053	Hazmat Public Safety Drysuit	4XL
	• •	



ENVIRO DRYSUIT

- Lightweight and compact
- Excellent drysuit with outstanding value
- Same smooth polyurethane exterior and seams as the hazmat series
- Anatomically-correct CAD designed pattern with pre-bent arms, legs and torso for a perfect fit
- Extremely easy to repair
- Choose between the heavy duty poly boots, comfort boots, or a dry soft sock with Evo III boots
- Permanently attached dry glove rings with replaceable seals
- SiTech contaminated water dual exhaust valve & SiTech standard inflation valve
- Polytex neckseal and attached Polytex hood

Part #	DESCRIPTION	Size	Part #	DESCRIPTION	9
720068	Red Enviro Drysuit	XS	720082	Black Enviro Drysuit	
720069	Red Enviro Drysuit	S	720083	Black Enviro Drysuit	
720070	Red Enviro Drysuit	SK	720084	Black Enviro Drysuit	
720071	Red Enviro Drysuit	M	720085	Black Enviro Drysuit	
720072	Red Enviro Drysuit	MT	720086	Black Enviro Drysuit	
720073	Red Enviro Drysuit	MK	720087	Black Enviro Drysuit	
720074	Red Enviro Drysuit	L	720088	Black Enviro Drysuit	
720075	Red Enviro Drysuit	LT	720089	Black Enviro Drysuit	
720076	Red Enviro Drysuit	LK	720090	Black Enviro Drysuit	
720077	Red Enviro Drysuit	XL	720091	Black Enviro Drysuit	
720078	Red Enviro Drysuit	XLK	720092	Black Enviro Drysuit	
720079	Red Enviro Drysuit	2XL	720093	Black Enviro Drysuit	
720080	Red Enviro Drysuit	3XL	720094	Black Enviro Drysuit	
720081	Red Enviro Drysuit	4XL	720095	Black Enviro Drysuit	





MK1 GLACIER UNDERGARMENT

- Super stretch fleece; no need for king size
- $\bullet \ \, \mathsf{Elastic} \ \mathsf{thumb} \ \mathsf{loops} \ \mathsf{and} \ \mathsf{stirrups}$
- Rear convenience flap
- · 2-way torso/relief zipper
- Seamless gusseted crotch
- Non-chafing flat-lock stitch seams
- Non-magnetic construction throughout
- Non-corroding YKK zippers

ì			
	Part #	DESCRIPTION	SIZE
	246016XS	MK1 Glacier Undergarment	XS
	246016S	MK1 Glacier Undergarment	S
	246016M	MK1 Glacier Undergarment	M
	246016L	MK1 Glacier Undergarment	L
	246016XL	MK1 Glacier Undergarment	XL
	2460162XL	MK1 Glacier Undergarment	2XL



MK2 GLACIER UNDERGARMENT

- · Removable sleeves
- 2 zippered vertical chest pockets
- 2 large fleece-lined hand warming pockets
- Elastic thumb loops and stirrups keep garment in place
- Storm Shield face guard with fleece liner on jacket
- Zip-off storm hood with adjustable ladder locks and stretch cords on jacket
- 2-way zippered rear convenience panel on one piece
- 2-way torso/convenience zipper on one piece
- 1mm stretch expansion panels at waist and above knees on one piece

Part #	DESCRIPTION	Size	PART #	DESCRIPTION
246030XS	MK2 Glacier One Piece	XS	246020XS	MK2 Glacier Jacket
246030S	MK2 Glacier One Piece	S	246020S	MK2 Glacier Jacket
246030M	MK2 Glacier One Piece	M	246020M	MK2 Glacier Jacket
246030L	MK2 Glacier One Piece	L	246020L	MK2 Glacier Jacket
246030XL	MK2 Glacier One Piece	XL	246020XL	MK2 Glacier Jacket
2460302XL	MK2 Glacier One Piece	2XL	2460202XL	MK2 Glacier Jacket
2460303XL	MK2 Glacier One Piece	3XL	2460203XL	MK2 Glacier Jacket



MK3 GLACIER THERMAL SOCKS

- Breathable, moisture wicking, high loft, insulating polypropylene Polar Fleece inner lining
- 70 denier micro-rip stop water-resistant Taslon outer nylon facing
- Primaloft® sandwiched between fleece lining and nylon facing Primaloft® is as warm as down, compressible, breathable and offers superior water repellency
- Sock can be worn alone or with a very light moisture wicking sock to minimize laundering

PART #	DESCRIPTION	Size
211013XS	MK3 Glacier Socks	4/5 - XS
2110135	MK3 Glacier Socks	6/7 - S
211013M	MK3 Glacier Socks	8/9 - M
211013L	MK3 Glacier Socks	10/11 - L
211013XL	MK3 Glacier Socks	12/13 - XL
211013XXL	MK3 Glacier Socks	14/15 - XXL



DIVING SUITS HOODS & BOOTS



HEAT HOOD

- Centre panels are double-layered 3mm titanium neoprene with moulded air vents
- Seams are glued, blind-stitched, and seam sealed
- Grip strips located at hood side prevent mask strap from slipping
- $\bullet \ \ \text{Ergonomically designed collar conforms to your neck for maximum coverage and mobility}$





Part #	DESCRIPTION	Size
604140S	Heat Zippered Drysuit Hood	S
604140M	Heat Zippered Drysuit Hood	M
604140L	Heat Zippered Drysuit Hood	L
604140XL	Heat Zippered Drysuit Hood	XL

EVO III BOOTS

The EVO~3~boot was designed in conjunction with the military for use on wet, slippery decks, finning for swimming and running on wet rocky shores.

- Heavy duty dual layered sole with multi-directional traction lugs
- Reinforced padded ankle support
- Drainage ports
- Heel pull tab and fin keeper
- Reinforced toe and heel

PART #	DESCRIPTION	Size
620060	Evo III Boots	5-6 / 37-39
620061	Evo III Boots	7 / 40
620062	Evo III Boots	8 / 41
620063	Evo III Boots	9 / 43
620064	Evo III Boots	10 / 44
620065	Evo III Boots	11 / 45
620066	Evo III Boots	12 / 46,5
620067	Evo III Boots	13 / 48



FUSION BOOTS

- Low profile to fit standard fin pockets
- Form fit reduces excess air in boots resulting in superior buoyancy control
- High mobility design results in less fatigue while diving
- $\bullet \ \ \text{Streamlined design offers less drag reducing your energy output}\\$
- Fast and easy entry and exit
- Boot sizes can easily be changed or removed


Part #	DESCRIPTION	Size
620050	Removable Fusion Boots	35/37
620051	Removable Fusion Boots	37/39
620052	Removable Fusion Boots	41
620053	Removable Fusion Boots	43
620054	Removable Fusion Boots	44
620055	Removable Fusion Boots	45
620056	Removable Fusion Boots	46
620057	Removable Fusion Boots	47
620058	Removable Fusion Boots	48/49



BLACK SUPER ZIP BOOTS

The black super zip boots are avalaible in 5 or 6,5 milimeters

- Neoprene with TERRY PLUSH inside
- Flexible vulcanized rubber sole
- Four seam (2 front, 2 heel) pattern
- Non corrosive Delrin #10 heavy-duty zipper (plastic)
- Rubber toe & heel cap for protection





DIVING SUITS: GLOVES



DRY GLOVE LOCK SYSTEM

- · Innovative new glove and wrist ring system that lock together
- Heavy duty commercial gloves with glove liner for maximum durability and warmth
- Audible "click" ensures the rings are locked in place
- Can be donned and doffed without assistance



Part #	DESCRIPTION	SIZE
605150	Dry Glove lock system	M
605151	Dry Glove lock system	L
605152	Dry Glove lock system	XL

DRY GLOVE WITH POLYTEX SEALS

Any diver that has been concerned with the size of the wrist and glove rings in traditional dry glove system can rest easy knowing there is an alternative. These dry gloves with polytex seals allow the user to have warm dry hands without worrying about o-ring seals or excess bulk.

Features:

- Our fully lined dry glove's polytex seal is sewn AND welded in place not glued!
- Heavy-duty and UV-resistant polytex seal keeps water out
- Abrasion-resistant fingers and palm protect the hand
- $\bullet \ \ Inner \ Glove \ Liner \ provides \ exceptional \ warmth \ with \ increased \ dexterity$
- Designed to work with drysuits

Part #	DESCRIPTION	SIZE
605160	Dry Glove w/ Polytex Seals	М
605161	Dry Glove w/ Polytex Seals	L
605162	Dry Glove w/ Polytex Seals	XL



THERMOCLINE GLOVES 3 & 5MM

- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- · Rubberized coating on palm for durability & added grip
- Adjustable cinch closure at wrist

PART #	DESCRIPTION	Size
33011XS	Gloves 3mm	XS
330115	Gloves 3mm	S
33011M	Gloves 3mm	M
33011L	Gloves 3mm	L
33011XL	Gloves 3mm	XL
33011XXL	Gloves 3mm	XXL
35011XS	Gloves 5mm	XS
35011S	Gloves 5mm	S
35011M	Gloves 5mm	M
35011L	Gloves 5mm	L
35011XL	Gloves 5mm	XL
35011XXL	Gloves 5mm	XXL



INDEX

Alcyon Fins	22
AMPHORA Rebreather	5
ARP.NET	17
Atlantis Face Mask	20
Atlantis LifeJacket	10
Backpack bag dry	8
Bags	8
Baleares Diving Suit	31
Bali Diving Suit	28
Belts	9
Bering Diving Suit	30
Black Classic Bag	8
Black Diamond BC	13
Boots	36
Buddy line	7
Buoyancy Compensators	10-13
Calypso BC	11
Charging Connector	15
Christolube Grease	17
C.O.D.E. Rebreather	5
CSAV BC	13
Commando waterproof bag	8
Compasses	25
Conshelf XIV / Supreme	18
Consumable Products	17
C.R.A.B.E. Rebreather	6
C.R.A.B.E. Test Bench	16
Depth Gauges	24
Diablo Pro Knife	23
Directional Compass with Alida	de 25
Diving Suits	28-34
Dry Suit Inflation System	19
Echotest Depth Sounder	26
Enviro Drysuit	34
Evo III Boots	36
Fenzy X 4 Lifejacket	11
Fill Adapters	14
Fins	22-23
F.R.O.G.S. Rebreather	4
F.R.O.G.S. Breathing bag protec	tor 8
F.R.O.G.S. carrying bag	8
Full-Face Mask	21
Funnel	16
Fusion Tactical Drysuits	33



Pictures © Alexis ROSENFELD / Aqua Lung

Gauges	15	
Gloves	38	
Harnesses	7	
Hazmat Drysuit	34	
High Pressure O2 Booster Pum	p 14	
Hood	36	
Hudson Diving Suit	31	
Iceland Diving Suit	30	
Integrated Inflating Wire	27	
Integrated Weights Harness	7	
Knives	23	
Legacy Nexus 3 Drysuit	32	
Legend Nitrox with Strap	18	
Look 2 Black Mask	20	
Magnetic Anomaly Tracker	26	
Masks	20	
MDB Jacket	10	
Metallic-Buckle Weight Belt	9	
Micromask	20	
Military Snorkels	21	
Miscellaneous Products	26	
MK1 - MK2 - MK3 Glacier	35	
Moana Black Mask	20	
MP Test Kit	15	
Nautilus LX Snorkels	21	
Navigation Board	24	
Nitrox Surface Pressure Test Gauge 15		
Non-Magnetic Regulator	18	
Odyssea Vest	10	
Oxygen Analyser	15	
Oxygen Gaz Supply (Hookah) 14		









Pictures © Alexis ROSENFELD / Aqua Lung



DISTRIBUTORS:

AQUA LUNG America *

2340 Cousteau Court, Vista, CA 92081 - USA m+1.760.597.5000 4+1.760.597.4900

AOUA LUNG France **

BP 148 - 1ère Ave, 14ème Rue - 06513 - Carros Cedex - FRANCE ₹+33.492.082.888 4+33.492.082.886

AQUA LUNG GmbH Germany

Josef Schüttler Str.12 - D-78224 Singen - DEUTSCHLAND m+49.7731.9345-47 =+49.7731.9345-647

AQUA LUNG Japan

2229-4 Nurumizu - Atsugi, Kanagawa 243-02 - JAPAN ****** +81.462.473.222 = +81.462.473.225

AQUA LUNG Canada - WHITES Manufacturing

AQUA LUNG Spain S.L.

Avenida de la Ántigua Peseta, 145 - Poligono Industrial Las Atalayas 03114 Alicante - EŠPAÑA

m+34.965.127.170 = +34.965.181.375

APEKS - Marine Equipment Ltd

Neptune Way - Blackburn - Lancashire BB1 2BT - ENGLAND $\textcircled{m}' + 44.1254.692.200 \qquad \textcircled{=} + 44.1254.692.211$

TECHNISUB S.p.A.

Via Gualco, 42 - 16165 Genova - ITALY

****** +39.010.54451

* Aqua Lung America is in charge of distribution in America, Pacific and Extreme East Asia.

** Aqua Lung France is in charge of distribution in Europe, Middle East, Africa and Asia (except Extreme East Asia)











